

LED Flood Light V5




Product Features

- 7 years guaranteed MEAN WELL HLG driver with power factor 0.95 and efficiency up to 94%;
- LM80 approved Lumileds SMD 3030 2D with reported TM-21 L70 lifetime >54,000 hours and within 5 steps MacAdam Ellipse;
- Extra-large size of PCB to have further distance between leds and spread the heat faster;
- Pretty looking thanks to ultra-slim design;
- Tempered glass cover to avoid damage during transportation and operation.

Specifications

Product Code	LE010WFL5	LE020WFL5	LE030WFL5	LE050WFL5	LE070WFL5	LE100WFL5	LE150WFL5	LE200WFL5
Wattage	10W	20W	30W	50W	70W	100W	150W	200W
Luminous Flux	1230LM	2540LM	3810LM	6400LM	9170LM	13500LM	20250LM	27000LM
LED Quantity	20PCS	40PCS	60PCS	96PCS	144PCS	204PCS	288PCS	420PCS
Efficacy	123LM/W	127LM/W	127LM/W	128LM/W	131LM/W	135LM/W	135LM/W	135LM/W
LED Chip	Lumileds 3030 2D							
Deam Angle	120°							
CCT	4000K/5000K/5700K (available at request :3000K/6500K)							
CRI	>80							
MacAdam Ellipse	Within 5 Steps							
Driver	LIFUD SELV			SOSEN MEAN WELL				
Input Voltage	220-240Vac			100-277Vac				
Power Factor	>0.95 (10W: >0.9)							
Working Temp.	-20℃ ~ +40℃							
IP Rate	IP65							
Lifetime	L70B20 50,000 Hours							
Warranty	5 Years or 35,000 Hours							
Certificates	CE, RoHS							

Structure



Protection grade reaches IP65




Anti-Level-17 hurricane




Adjustable 270° Angle

Dimension & Package




10W

1. Carton Size: 42.5×41.5×25.5(cm)
2. Qty/Ctn: 36PCS
3. 33.05KG/Carton




20W

1. Carton Size: 51.5×38×26(cm)
2. Qty/Ctn: 20PCS
3. 28.65KG/Carton




30W

1. Carton Size: 53.5×40.5×26(cm)
2. Qty/Ctn: 20PCS
3. 33.85KG/Carton




50W

1. Carton Size: 53×36.5×25.5(cm)
2. Qty/Ctn: 8PCS
3. 23.9KG/Carton




70W

1. Carton Size: 43.5×34×13(cm)
2. Qty/Ctn: 1PCS
3. 3.8KG/Carton




100W

1. Carton Size: 51×43×13.5(cm)
2. Qty/Ctn: 1PCS
3. 5.6KG/Carton



1. Carton Size: 51×43×13.5(cm)
2. Qty/Ctn: 1PCS
3. 7.4KG/Carton



1. Carton Size: 55.5×46×13.5(cm)
2. Qty/Ctn: 1PCS
3. 10.3KG/Carton

Application

